


frozen table structure

design Matteo Ragni +
Maurizio Prina




STRUTTURA/STRUCTURE

PE - Polietilene/*Polyethylene*
colore base/basic colour



6310



C2 M9 N4 16 34 87

GROSS WEIGHT:

kg 8,7

ACCESSORIES:

A4461


Sistema di fissaggio a
terra/*Fixing kit system*

A4601


Kit sabbia essiccata/
Dried sand kit

frozen table structure light

design Matteo Ragni +
Maurizio Prina



STRUTTURA/STRUCTURE PE - Polietilene/Polyethylene
colore base/basic colour



8310



98

KIT LUCE/LIGHT KIT

GROSS WEIGHT:

kg 8,7

DETAILS:

Necessita di 1 Kit Luce/
Needs 1 Light Kit

- A4922 Kit luce senza lampadina indoor/*Indoor light kit without bulb*
A4923 Kit luce senza lampadina outdoor/*Outdoor light kit without bulb*
A4744 Kit LED RGB a batteria per interni-esterni bluetooth/
Bluetooth RGB LED light kit with battery indoor-outdoor

frozen table structure top

DETAILS:

Necessita di due
strutture per il piano/
Needs two structures for
the top
A4935

PIANO/TOP



60



70



70



120

HPL

colore base/basic colour

A4926



A4925



A4927



A4928



A4930



A4929



A4935



DIMENSIONS:

Cm 59x1 h

Cm 59x1 h

Cm 69x1 h

Cm 69x1 h

Cm 69x69x1 h

Cm 69x69x1 h

Cm 120x60x1 h

GROSS WEIGHT:

Kg 6,7

Kg 6,7

Kg 8,2

Kg 8,2

Kg 9,7

Kg 9,7

Kg 12,5

TESTS (ART. 6310)

Declaration of conformity issued by



Conforms to the requirements of resistance, durability
and safety, 2nd level EN 15372:2016

Tests carried out as per:

EN 15372:2016, clause 6
EN 15372:2016, clause 5.1-5.2
EN 1730:2012, clause 6.2
EN 1730:2012, clause 6.3
EN 1730:2012, clause 6.4.2
EN 1730:2012, clause 6.5
EN 1730:2012, clause 6.6
EN 1730:2012, clause 7.2

Attention to ensure stability under a vertical
pressure, the part must be stabilized according
to point 7.2 of EN 1730:2012.

To do this, inert material (es. dried sand)
must be poured into the hole at the bottom of
the base. The amount of the material will vary
according to the article:

art. A4930/A4929 70x70 cm - kg 20

art. A4935 120x60 cm - kg 12 + kg 12 = kg 24

Finally, close the hole by screwing the threaded
cap back on.