

fura table structure


design Form Us With Love



STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene
colore base/basic colour

6295



GROSS WEIGHT:

kg 6,7

ACCESSORIES:

A4461
Sistema di fissaggio a
terra/Fixing kit system


A4601
Kit sabbia essiccata/
Dried sand kit

fura table structure light

design Form Us With Love



STRUTTURA/STRUCTURE



PE - Polietilene/Polyethylene
colore base/basic colour

8295



98

KIT LUCE/LIGHT KIT

GROSS WEIGHT:

kg 6,7

DETAILS:

Necessita di 1 Kit Luce/
Needs 1 Light Kit



- A4922 Kit luce senza lampadina indoor/Indoor light kit without bulb
- A4923 Kit luce senza lampadina outdoor/Outdoor light kit without bulb
- A4744 Kit LED RGB a batteria per interni-esterni bluetooth/
Bluetooth RGB LED light kit with battery indoor-outdoor

fura table structure top

DETAILS:

Necessita di due
strutture per il piano/
Needs two structures for
the top
A4935

PIANO/TOP



HPL

colore base/basic colour

A4926



A4925



A4935



DIMENSIONS:

Cm 59x1 h

Cm 59x1 h

Cm 120x60x1 h

GROSS WEIGHT:

Kg 6,7

Kg 6,7

Kg 12,5

TESTS (ART. 6295)

Declaration of conformity issued by



Conforms to the requirements of resistance,
durability and safety, 2nd level EN 15372:2016

Tests carried out as per:

- EN 15372:2016, clause 6
- EN 15372:2016, clause 5.1 - 5.2
- EN 1730:2012, clause 6.2
- EN 1730:2012, clause 6.3
- EN 1730:2012, clause 6.4.2
- EN 1730:2012, clause 6.5
- EN 1730:2012, clause 6.6
- EN 1730:2012, clause 7.2

Attention to ensure stability under a vertical
pressure, the part must be stabilized according
to point 7.2 of EN 1730:2012.

To do this, inert material (es. dried sand)
must be poured into the hole at the bottom of
the base. The amount of the material will vary
according to the article:

art. A4935 120x60 cm - kg 13 + kg 13 = kg 26

Finally, close the hole by screwing the threaded
cap back on.