

fura table structure

design Form Us With Love



ESTRUCTURA



PE - Polietileno
color básico

6295



PESO BRUTO:

kg 6,7

COMPLEMENTOS:

A4461

Sistema de fijación en el
suelo

A4601


Kit de arena seca

fura table structure light

design Form Us With Love



ESTRUCTURA



PE - Polietileno
color básico

8295



98

KIT LUZ

PESO BRUTO:

kg 6,7

DETALLES:

Necesaria 1 Kit de iluminación

A4922 Kit de iluminación sin bombilla interior

A4923 Kit de iluminación sin bombilla exterior

A4744 Kit LED RGB con batería para Bluetooth de interior y exterior

fura table structure parte superior

DETALLES:

Necesita dos estructuras para el parte superior
A4935

PARTE SUPERIOR

.....



60



120

HPL color básico

A4926



Cm 59x1 h

Kg 6,7


A4925



Cm 59x1 h

Kg 6,7

A4935



Cm 120x60x1 h

Kg 12,5

TESTS (ART. 6295)

Declaration of conformity issued by



Conforms to the requirements of resistance, durability and safety, 2nd level EN 15372:2016

Tests carried out as per:

- EN 15372:2016, clause 6
- EN 15372:2016, clause 5.1 - 5.2
- EN 1730:2012, clause 6.2
- EN 1730:2012, clause 6.3
- EN 1730:2012, clause 6.4.2
- EN 1730:2012, clause 6.5
- EN 1730:2012, clause 6.6
- EN 1730:2012, clause 7.2

Attention to ensure stability under a vertical pressure, the part must be stabilized according to point 7.2 of EN 1730:2012.

To do this, inert material (es. dried sand) must be poured into the hole at the bottom of the base. The amount of the material will vary according to the article:

art. A4935 120x60 cm - kg 13 + kg 13 = kg 26

Finally, close the hole by screwing the threaded cap back on.